

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) 2015/830)

Fixol

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Fixol

Product code None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture Adhesives

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

Habasit GmbH (Deutschland), Only Representative

Babenhäuser Str. 31 D-64859 Eppertshausen

+49 6071 969 0 (Mo - Fr, 7.30h - 17h)

SDS info: product.safety@habasit.com

National contact: Habasit (UK) Limited Habegger house Gannex Park, Dewsbury Road,

Elland,

West Yorkshire

HX5 9AF

Tel. +44 (0) 333 207 6570 (Mo - Fr, 8h - 17.30h) E-Mail: info.uk@habasit.com

1.4. Emergency telephone

number

Issuing date

NHS Direct in England or Wales: +44 (0)845 46 47 NHS 24 in Scotland (UK only): 08454 24 24 24 Poisons Information Centre of Ireland: 01 809 2566

29.07.2016

Version 02 (Previous versions: 19.11.2014)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Acute toxicity, oral, Cat. 3, H301 Acute toxicity, dermal, Cat. 3, H311

Acute toxicity, inhal., Vapours, Cat. 3, H331 Skin corrosion/irritation, Cat. 2, H315

Serious eye damage/eye irritation, Cat. 2, H319

Specific target organ toxicity (single exposure, inhalation), Cat. 1,

H370

Flammable liquids, Cat. 2, H225

Hazardous to the aquatic environment, acute, Cat. 1, H400

Additional information For the full text of the phrases mentioned in this Section, see

Section 16.

2.2. Label elements









Signal Word

Danger

Hazard Statements H225: Highly flammable liquid and vapour.

H301+H311+H331: Toxic if swallowed, in contact with skin or if

inhaled.

H315: Causes skin irritation. H319: Causes serious eye irritation. H370: Causes damage to organs.

H400: Very toxic to aquatic life.

Precautionary statements P260v: Do not breathe vapour.

P262: Do not get in eyes, on skin, or on clothing.

P210b: Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.

Supplemental information None.

Product identifier resorcinol; 1,3-benzenediol, CAS-No. 108-46-3, EC-No. 203-585-

2

methanol, CAS-No. 67-56-1, EC-No. 200-659-6

2.3. Other hazards None.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Adhesive on solvent basis.

Components		CLP Classification	Product identifier
resorcinol; 1,3-benzenediol	50% - 75%	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Acute 1 H400	CAS-No.: 108-46-3 EC-No.: 203-585-2 Index-No: 604-010-00-1
methanol	30% - 50%	Acute Tox. 3 H331, Acute Tox. 3 H311, Acute Tox. 3 H301, STOT SE 1 H370, Flam. Liq. 2 H225	CAS-No.: 67-56-1 EC-No.: 200-659-6 Index-No: 603-001-00-X

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities None known.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing.

Consult a physician after significant exposure.

Skin contact Wash off immediately with soap and plenty of water while removing

all contaminated clothes and shoes. If skin irritation persists, call a

physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

Ingestion Do not induce vomiting. If conscious, drink plenty of water. IF

SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and

delayed

Headache. Dizziness. Blurred vision.

4.3. Indication of any immediate medical attention and special

treatment needed

Oxygen, if needed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2). Alcohol-resistant foam Dry chemical.

Extinguishing media which must not be used for safety reasons

High volume water jet.

5.2. Special hazards arising from the substance or mixture

During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds.

5.3. Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Specific methods

Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel

Keep people away from and upwind of spill/leak. Ensure adequate

ventilation. Remove all sources of ignition.

Advice for emergency responders

Use personal protective equipment. Remove ignition sources. Ensure adequate ventilation. Vapours are heavier than air and may

spread along floors.

6.2. Environmental precautions

Prevent product from entering surface water or sewage.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal. Clean contaminated surface

thoroughly.

6.4. Reference to other sections

See chapter 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment. Keep away from sources of ignition - No smoking. Provide appropriate exhaust ventilation at machinery. Do not breathe vapours/dust. Vapours are heavier than air and may spread along floors. Wash hands and exposed skin before eating, drinking or smoking and after work. Take off contaminated clothing and wash it before reuse. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store together with food.

7.3. Specific end use(s)

Use only in accordance with our recommendations.

Fixol

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.

However it is the duty of the user to verify this and follow given exposure limits at the workplace.

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

resorcinol (CAS 108-46-3)

EU - Occupational Exposure (2006/15/EC) - Second List of Indicative Occupational Exposure Limit Values - TWAs

Ireland - Occupational Exposure

Limits - TWAs

Ireland - Occupational Exposure

Limits - STELs United Kingdom - Workplace

Exposure Limits (WELs) - STELs United Kingdom - Workplace Exposure Limits (WELs) - TWAs United Kingdom - Workplace

Exposure Limits (WELs) - Skin

Notations

methanol (CAS 67-56-1)

EU - Occupational Exposure (2006/15/EC) - Second List of Indicative Occupational Exposure

Limit Values - TWAs

Ireland - Occupational Exposure Limits - TWAs

LIIIIIIS - IVVAS

Ireland - Occupational Exposure

Limits - STELs

United Kingdom - Workplace Exposure Limits (WELs) - STELs United Kingdom - Workplace Exposure Limits (WELs) - TWAs

United Kingdom - Workplace Exposure Limits (WELs) - Skin

Notations

10 ppm TWA 45 mg/m3 TWA

10 ppm TWA 45 mg/m3 TWA

30 ppm STEL (calculated) 135 mg/m3 STEL (calculated)

20 ppm STEL 92 mg/m3 STEL 10 ppm TWA 46 mg/m3 TWA

Potential for cutaneous absorption

200 ppm TWA 260 mg/m3 TWA

200 ppm TWA 260 mg/m3 TWA

600 ppm STEL (calculated) 780 mg/m3 STEL (calculated)

250 ppm STEL 333 mg/m3 STEL 200 ppm TWA 266 mg/m3 TWA

Potential for cutaneous absorption

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Personal protection equipment

Respiratory protection In case of good ventilation no personal respiratory protective

equipment required. In case of insufficient ventilation wear suitable respiratory equipment. Suitable respiratory equipment: ABEK-filter

ABEK-P3-filter Respirator with filter for organic vapour

Hand protection Protective gloves complying with EN 374. Gloves made of Butyl. Be

aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). The exact break through time can be obtained from the protective glove producer and this has to be observed. Do not wear leather gloves. Do not wear cotton gloves.

Eye protection Safety glasses with side-shields conforming to EN166.

Skin and body protection Long sleeved clothing.

Thermal hazards No special measures required.

Environmental exposure controls Dispose of waste or used sacks/containers according to local

regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceLiquid.ColourDark brown.OdourAlcoholic.Odour ThresholdNot determined.

pH: not applicable
Melting point/range: Not determined.
Boiling point/range: >64 °C (Methanol)

Flash point: 22 °C

Evaporation Rate: Not determined. Flammability: Not determined.

Explosion limits: 36% v/v - 5,5% v/v (Methanol)

Vapour pressure:28 mbar (20°C)Vapor density:Not determined.Relative density:1.03 g/cm3 (20°C)Water solubility:completely misciblePartition coefficient (n-Not determined.

octanol/water):

Autoignition temperature:

Decomposition temperature:

Viscosity:

Not determined.

Oxidising properties: None

9.2. Other information

General Product Characteristics no data available

SECTION 10: Stability and reactivity

10.1. Reactivity No hazards to be specially mentioned.

10.2. Chemical stabilityNo decomposition if stored and applied as directed.

10.3. Possibility of hazardous

reactions

No hazards to be specially mentioned.

10.4. Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials None.

10.6. Hazardous decomposition

products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Information given is based on data on the components and the

toxicology of similar products. Toxic by inhalation, in contact with

skin and if swallowed.

resorcinol; 1,3-benzenediol (CAS 108-46-3)
Dermal LD50 Rabbit = 3360 mg/kg (NLM_CIP)
Inhalation LC50 Rat = 21.3 mg/L 1 h(JAPAN_GHS)

Oral LD50 Rat = 202 mg/kg (JAPAN_GHS)

methanol (CAS 67-56-1)

Inhalation LC50 Rat = 22500 ppm 8 h(JAPAN_GHS)

Oral LD50 Rat = 6200 mg/kg (JAPAN_GHS)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Serious eye damage/eye irritation

Respiratory / Skin Sensitisation None.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Germ cell mutagenicity Contains no ingredient listed as a mutagen.

Reproductive toxicityContains no ingredient listed as toxic to reproduction.

Specific target organ toxicity

(single exposure)

Causes damage to organs.

Specific target organ toxicity

(repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Human experience Symptoms and signs include headache, dizziness, fatigue,

muscular weakness, drowsiness and in extreme cases, loss of

consciousness.

Information on likely routes of exposure

Skin contact. Inhalation.

Symptoms related to the physical, chemical and toxicological characteristics

Poison, may be fatal or cause blindness if swallowed. Causes headache, drowsiness or other effects to the central nervous

system. Vertigo

Delayed and immediate effects and also chronic effects from short and long term exposure

Liver and kidney injuries may occur.

Interactive effectsNo data is available on the product itself.

SECTION 12: Ecological information

12.1. Toxicity No data is available on the product itself. Information given is based

on data on the components and the toxicology of similar products.

resorcinol (CAS 108-46-3)

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

LC50 96 h Oncorhynchus mykiss >100 mg/L [flow-through] (EPA)

(EPA)

LC50 96 h Pimephales promelas 53.4 mg/L (IUCLID) (IUCLID) LC50 96 h Pimephales promelas 36 - 100 mg/L [static] (EPA) (EPA) LC50 96 h Pimephales promelas 100 mg/L [flow-through] (EPA)

(EPA)

Ecotoxicity - Water Flea - Acute

Toxicity Data

methanol (CAS 67-56-1)

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

LC50 48 h Daphnia magna 78 mg/L (IUCLID) (IUCLID)

LC50 96 h Pimephales promelas 28200 mg/L [flow-through] (EPA)

LC50 96 h Pimephales promelas >100 mg/L [static] (EPA) (EPA) LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-

through] (EPA) (EPA)

LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static] (EPA) (EPA) LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]

(EPA) (EPA)

12.2. Persistence and degradability

Readily biodegradable.

12.3. Bioaccumulative potential Bioconcentration factor (BCF): 3.16.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This preparation contains no substance considered to be persistent,

bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very

bioaccumulating (vPvB).

12.6. Other adverse effects no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of as hazardous waste in compliance with local and

national regulations. Can be burned in a suitable installation subject

to local regulations.

Contaminated packaging Dispose of as unused product.

SECTION 14: Transport information

ADR/RID UN 1992.

Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.

(resorcinol; 1,3-benzenediol, methanol).

Class 3.

Packing group II.

ADR/RID-Labels 3+6.1+ENV. Environmentally hazardous: Yes

Classification code FT1. Hazard identification no. 336.

Limited quantity 1 L. Excepted quantity E2. Tunnel restriction code D/E

IMDG UN 1992.

Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.

(resorcinol; 1,3-benzenediol, methanol).

Class 3.

Packing group II.

IMDG-Labels 3+6.1+ENV. Limited quantity 1 L. Excepted quantity E2. EmS F-E, S-D. Marine pollutant: Yes.

IATA UN 1992.

Proper shipping name: Flammable liquid, toxic, n.o.s. (resorcinol;

1,3-benzenediol, methanol).

Class 3.

Packing group II. IATA label 3+6.1+ENV.

Packing instruction (passenger aircraft): 352 (1 L).

Packing instruction (LQ): Y341 (1 L).

Packing instruction (cargo aircraft): 364 (60 L).

Inland navigation ADN UN 1992.

Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.

(resorcinol; 1,3-benzenediol, methanol).

Class 3.

Packing group II.
ADN labels 3+6.1+ENV.
Classification code FT1.
Limited quantity 1 L.
Excepted quantity E2.

packang.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information resorcinol (CAS 108-46-3) None.

EU - Cosmetics (1223/2009) -Annex III - Field of Application Hair dye substance in oxidative hair dye products

Hair lotions and shampoos

and/or Use EU - Cosmetics (1223/2009) - Products intended for colouring evelashes 0.5 % MAC (Hair lotions and shampoos)

Annex III - Maximum Authorised Concentration

EU - Cosmetics (1223/2009) -Annex III - Other Limitations and After mixing under oxidative conditions the maximum concentration applied to hair or eyelashes must not exceed 1.25% (Hair dye

substance in oxidative hair dye products)

Requirements

For professional use only. After mixing under oxidative conditions the maximum concentration applied to hair or eyelashes must not

exceed 1.25% (Products intended for colouring eyelashes)

EU - REACH (1907/2006) - List of

Present

Registered Substances

methanol (CAS 67-56-1) EU - Cosmetics (1223/2009) -Annex III - Field of Application

Denaturant for ethanol and isopropyl alcohol

and/or Use

EU - Cosmetics (1223/2009) -

Annex III - Maximum Authorised

5 % MAC (as a % of Ethanol and Isopropyl alcohol)

Concentration

EU - REACH (1907/2006) - List of

Registered Substances

Present

15.2. Chemical safety

assessment

Not required.

SECTION 16: Other information

Revision Note This data sheet contains changes from the previous version in

section(s): 1, 2, 4, 5, 8, 9, 10, 11, 12, 13, 14, 16

Key or legend to abbreviations

and acronyms

MAK: Occupational exposure limit.

Key literature references and

sources for data

Information taken from reference works and the literature.

Classification procedure Calculation method. On basis of test data.

Full text of phrases referred to under sections 2 and 3

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed. H302: Harmful if swallowed. H311: Toxic in contact with skin. H315: Causes skin irritation.

H319: Causes serious eye irritation.

Fixol

Print Date 24.05.2017 10 / 11 H331: Toxic if inhaled.

H370: Causes damage to organs. H400: Very toxic to aquatic life.

Training advice

The rules which cover amongst other things the requirement for ventilation, protective clothing, personal protective equipment etc. can be obtained from the National Occupational Health and Safety Board.

Further information

Made in: Switzerland Habasit AG

Römerstrasse 1

4153 Reinach/BL, Switzerland

Phone: +41 (0)61 715 15 15 (Mo - Fr, 7.30h - 17h)

SDS info: product.safety@habasit.com

Instructions for use

For industrial application only. Use only in accordance with our

recommendations.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Fixol