



### Description

The PT-50 is a hot-pressing device for Thermofix joining of Habasit belts and tapes up to a width of 50 mm and a thickness of 2 mm. It is especially suitable for joining of spindle tapes and for many applications in the paper printing industry. It is equipped with an innovative universal heat cartridge that can be used at any mains voltage from 110 V ... 240 V without any modification. The PT-50 is mostly suitable for on-site installation.

Technical data	
Joining System	Thermofix
Belt/tape width max.	50 mm <i>2 inch</i>
Belt/Tape thickness max.	2 mm <i>0.08 inch</i>
Dimensions (LxWxH)	215 x 120 x 84 mm <i>8.50 x 4.70 x 3.30 inch</i>
Max. skiving length	35 mm <i>1.4 inch</i>
Cooling media	Ambient air
Adjustable Temperature	Fixed
Working temperature	110 °C <i>230 °F</i>
Weight net	0.65 kg <i>1.40 lb</i>

Available versions	Item number	Power supply	Power
PT-50/6	H080691430	1ph 120V 60Hz	75W
PT-50/8	H080691450	1ph 230V 50Hz	75W

Group GFT Tools  
 Sub-Group Hot pressing devices  
 Customs tariff number 85158090



### **Disclaimer**

#### **Product Application Disclaimer (valid for ALL Habasit products and mentioned on all PDS)**

This disclaimer is made by and on behalf of Habasit and its affiliated companies, directors, employees, agents and contractors (hereinafter collectively "HABASIT") with respect to the products referred to herein (the "Products"). SAFETY WARNINGS SHOULD BE READ CAREFULLY AND ANY RECOMMENDED SAFETY PRECAUTIONS BE FOLLOWED STRICTLY! Please refer to the Safety Warnings herein, in the Habasit catalogue as well as installation and operating manuals. All indications / information as to the application, use and performance of the Products are recommendations provided with due diligence and care, but no representations or warranties of any kind are made as to their completeness, accuracy or suitability for a particular purpose. The data provided herein are based on laboratory application with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to re-assessments and modifications within a short period of time and without prior notice.

EXCEPT AS EXPLICITLY WARRANTED BY HABASIT, WHICH WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, THE PRODUCTS ARE PROVIDED "AS IS". HABASIT DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ALL OF WHICH ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW. BECAUSE CONDITIONS OF USE IN INDUSTRIAL APPLICATION ARE OUTSIDE OF HABASIT'S CONTROL, HABASIT DOES NOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS, INCLUDING INDICATIONS ON PROCESS RESULTS AND OUTPUT.